### §51.1996

- (1) For mixed types. 20 percent for filberts which are of a different type.
- (2) For defects. 10 percent for filberts which are below the requirements of this grade: Provided, That not more than one-half of this amount or 5 percent shall consist of blanks, and not more than 5 percent shall consist of filberts with rancid, decayed, moldy or insect injured kernels, including not more than 3 percent for insect injury.
- (3) For off-size. 15 percent for filberts which fail to meet the requirements for thesize specified, but not more than two-thirds of this amount, or 10 percent shall consist of undersize filberts.

#### APPLICATION OF STANDARDS

## §51.1996 Application of standards.

- (a) The grade of a lot of filberts shall be determined on the basis of a composite sample drawn from containers in various locations in the lot. However, any container or group of cantainers in which the filberts are obviously of a quality, type or size materially different from that in the majority of containers shall be considered a separate lot, and shall be sampled separately.
- (b) In grading the sample, each filbert shall be examined for defects of the shell before being cracked for kernel examination. A filbert shall be classed as only one defective nut even though it may be defective externally and internally.

# DEFINITIONS

## §51.1997 Similar type.

Similar type means that the filberts in each container are of the same general type and appearance. For example, nuts of the round type shall not be mixed with those of the long type in the same container.

## §51.1998 Dry.

*Dry* means that the shell is free from surface moisture, and that the shells and kernels combined do not contain more than 10 percent moisture.

#### §51.1999 Well formed.

Well formed means that the filbert shell is not materially misshapen.

### §51.2000 Clean and bright.

Clean and bright means that the individual filbert and the lot as a whole are practically free from adhering dirt and other foreign material, and that the shells have characteristic color.

#### §51.2001 Blank.

*Blank* means a filbert containing no kernel or a kernel filling less than one-fourth the capacity of the shell.

## §51.2002 Split shell.

Split shell means a shell having any crack which is open and conspicuous for a distance of more than one-fourth the circumference of the shell, measured in the direction of the crack.

#### § 51.2003 Damage.

Damage means any specific defect described in this section; or an equally objectionable variation of any one of these defects, any other defect, or any combination of defects which materially detracts from the appearance, or the edible or marketing quality of the filberts. The following specific defects shall be considered as damage:

- (a) Stains which are dark and materially affect the appearance of the individual shell.
- (b) Adhering husk when covering more than 5 percent of the surface of the shell in the aggregate.
- (c) Shriveling when the kernel is materially shrunken, wrinkled, leathery or tough.
- (d) Discoloration when the appearance of the kernel is materially affected by black color.

# $\S\,51.2004$ Reasonably well developed.

Reasonably well developed means that the kernel fills one-half or more of the capacity of the shell.

## §51.2005 Badly misshapen.

Badly misshapen means that the kernel is so malformed that the appearance is materially affected.

## §51.2006 Rancidity.

Rancidity means that the kernel is noticeably rancid to the taste. An oily appearance of the flesh does not necessarily indicate a rancid condition.